


# MANAGING ADVERSE EVENTS AFTER VACCINATION

## Service Member Receives Vaccine

\*If in yellow or red zone, avoid simultaneous administration with other vaccines in future.



**Clinical guidelines for managing adverse events after vaccination:** Version Sep 2004. This document provides general guidance, to adapt to individual clinical cases. Use with companion tables. Patients may present with symptoms corresponding to more than one category. Revisions to this document will be disseminated via medical command channels and posted by MILVAX ([www.vaccines.mil](http://www.vaccines.mil)). The probability of events on this chart is not uniform: some are quite common and some are rare. See cover sheets for details.


Submit VAERS reports as warranted. Must be submitted for hospitalization, life-threatening event, loss of duty > 24 h (>1 duty shift), or suspected vial contamination. Other events may also be reported. Presumption of causation is not required to submit VAERS reports. Forms available at [www.vaers.org](http://www.vaers.org).

# MANAGING ADVERSE EVENTS AFTER VACCINATION

## Service Member Receives Vaccine

\*If in yellow or red zone, avoid simultaneous administration with other vaccines in future.

### SYSTEMIC EVENT




**Clinical guidelines for managing adverse events after vaccination: Version Sep 2004.** This document provides general guidance, to adapt to individual clinical cases. Use with companion tables. Patients may present with symptoms corresponding to more than one category. Revisions to this document will be disseminated via medical command channels and posted by MILVAX ([www.vaccines.mil](http://www.vaccines.mil)). The probability of events on this chart is not uniform: some are quite common and some are rare. See cover sheets for details.

Submit VAERS reports as warranted. Must be submitted for hospitalization, life-threatening event, loss of duty > 24 h (>1 duty shift), or suspected vial contamination. Other events may also be reported. Presumption of causation is not required to submit VAERS reports. Forms available at [www.vaers.org](http://www.vaers.org).

# MANAGING ADVERSE EVENTS AFTER VACCINATION

## Service Member Receives Vaccine

\*If in yellow or red zone, avoid simultaneous administration with other vaccines in future.



**Clinical guidelines for managing adverse events after vaccination:** *Version Sep 2004.* This document provides general guidance, to adapt to individual clinical cases. Use with companion tables. Patients may present with symptoms corresponding to more than one category. Revisions to this document will be disseminated via medical command channels and posted by MILVAX ([www.vaccines.mil](http://www.vaccines.mil)). The probability of events on this chart is not uniform: some are quite common and some are rare. See cover sheets for details.

Submit VAERS reports as warranted. Must be submitted for hospitalization, life-threatening event, loss of duty > 24 h (>1 duty shift), or suspected vial contamination. Other events may also be reported. Presumption of causation is not required to submit VAERS reports. Forms available at [www.vaers.org](http://www.vaers.org).